

Numbered reference list

1. *Samenspannen tegen XTC [Banding together against ecstasy]* (2001). Den Haag: Ministerie van Justitie.
2. Bartholomew, L. K., Parcel, G. S., Kok, G., & Gottlieb, N. H. (2006). *Intervention mapping: designing theory and evidence-based health promotion programs*. San Francisco, CA: Jossey-Bass.
3. Freudenmann, R. W., Öxler, F., & Bernschneider Reif, S. (2006). The origin of MDMA (ecstasy) revisited: The true story reconstructed from the original documents. *Addiction*, **101**, 1241-1245.
4. Hardman, H. F., Haavik, C. O., & Seevers, M. H. (1973). Relationship of the structure of mescaline and seven analogs to toxicity and behavior in five species of laboratory animals. *Toxicology and Applied Pharmacology*, **25**, 299-309.
5. Riedlinger, J. E. (1985). The scheduling of MDMA: a pharmacist's perspective. *Journal of Psychoactive Drugs*, **17**, 167-171.
6. Baylen, C. A., & Rosenberg, H. (2006). A review of the acute subjective effects of MDMA/ecstasy. *Addiction*, **101**, 933-947.
7. Levy, K. B., O'Grady, K. E., Wish, E. D., & Arria, A. M. (2005). An in-depth qualitative examination of the ecstasy experience: Results of a focus group with ecstasy-using college students. *Substance Use and Misuse*, **40**, 1427-1441.
8. ter Bogt, T., Engels, R., Hibbel, B., Van Wel, F., & Verhagen, S. (2002). "Dancestasy": Dance and MDMA use in Dutch youth culture. *Contemporary Drug Problems*, **29**, 157-181.
9. Nichols, D. E. (1986). Differences between the mechanism of action of MDMA, MBDB, and the classic hallucinogens: Identification of a new therapeutic class: Entactogens. *Journal of Psychoactive Drugs*, **18**, 305-313.
10. Terphoven, A. v., & Beemsterboer, T. (2004). *Door! Dance in Nederland [Keep going! Dance in the Netherlands]*. Amsterdam: Contact.
11. KPMG (2002). *Dance in Nederland - De betekenis en impact van dance op de Nederlandse economie en maatschappij: een verkenning [Dance in the Netherlands - The meaning and impact of dance on the Dutch economy and society: an exploration]*. Amstelveen: KPMG Special Services B.V.
12. Trimbos Instituut (2007). *Nationale Drug Monitor [National drug monitor]*. Utrecht: Trimbos Instituut.
13. ter Bogt, T., & Engels, R. C. M. E. (2005). Party Hard: Party style, motives for and effects of MDMA use at rave parties. *Substance Use and Misuse*, **40**, 1479-1502.

14. Kelly, B. C., Parsons, J. T., & Wells, B. E. (2006). Prevalence and predictors of club drug use among club-going young adults in New York city. *Journal of Urban Health*, **83**, 884-895.
15. Ricaurte, G. A., Yuan, J., Hatzidimitriou, G., Cord, B. J., & McCann, U. D. (2002). Severe dopaminergic neurotoxicity in primates after a common recreational dose regimen of MDMA ("ecstasy"). *Science*, **297**, 2260-2263.
16. Ricaurte, G. A., Yuan, J., Hatzidimitriou, G., Cord, B. J., & McCann, U. D. (2003). Severe dopaminergic neurotoxicity in primates after a common recreational dose regimen of MDMA ("ecstasy"): Retraction. *Science*, **301**, 1479.
17. Kaledstein, A. D., De La Garza, R., II, Mahoney, J. J., III, Fantegrossi, W. E., & Newton, T. F. (2007). MDMA use and neurocognition: A meta-analytic review. *Psychopharmacology*, **189**, 531-537.
18. Karlsen, S. N., Spigset, O., & Slordal, L. (2008). The dark side of ecstasy: neuropsychiatric symptoms after exposure to 3,4-methylenedioxymethamphetamine. *Basic and Clinical Pharmacology and Toxicology*, **102**, 15-24.
19. Laws, K. R., & Kokkalis, J. (2007). Ecstasy (MDMA) and memory function: a meta-analytic update. *Human psychopharmacology*, **22**, 381-388.
20. Gouzoulis Mayfrank, E., & Daumann, J. (2006). Neurotoxicity of methylenedioxymphetamines (MDMA; ecstasy) in humans: how strong is the evidence for persistent brain damage? *Addiction*, **101**, 348-361.
21. Zakzanis, K. K., Campbell, Z., & Jovanovski, D. (2007). The neuropsychology of ecstasy (MDMA) use: a quantitative review. *Human psychopharmacology*, **22**, 427-435.
22. Lyvers, M. (2006). Recreational ecstasy use and the neurotoxic potential of MDMA: current status of the controversy and methodological issues. *Drug and Alcohol Review*, **25**, 269-276.
23. de Win, M. M. L., Jager, G., Vervaeke, H. K. E., Schilt, T., Reneman, L., Booij, J., Verhulst, F. C., den Heeten, G. J., Ramsey, N. F., Korf, D. J., & van den Brink, W. (2005). The Netherlands XTC Toxicity (NeXT) study: Objectives and methods of a study investigating causality, course, and clinical relevance. *International Journal of Methods in Psychiatric Research*, **14**, 167-185.
24. Jager, G., de Win, M. M., van der Tweel, I., Schilt, T., Kahn, R. S., van den Brink, W., van Ree, J. M., & Ramsey, N. F. (2008). Assessment of cognitive brain function in ecstasy users and contributions of other drugs of abuse: results from an fMRI study. *Neuropsychopharmacology official publication of the American College of Neuropsychopharmacology*, **33**, 247-258.
25. Jager, G., de Win, M. M., Vervaeke, H. K., Schilt, T., Kahn, R. S., van den Brink, W., van Ree, J. M., & Ramsey, N. F. (2007). Incidental use of ecstasy: No evidence for harmful effects on cognitive brain function in a prospective fMRI study. *Psychopharmacology*, **193**, 403-414.
26. Verheyden, S. L., Henry, J. A., & Curran, H. V. (2003). Acute, sub-acute and long-term subjective consequences of 'ecstasy' (MDMA) consumption in 430 regular users. *Human Psychopharmacology: Clinical and Experimental*, **18**, 507-517.
27. ter Bogt, T., Schmid, H., Gabhainn, S. N., Fotiou, A., & Vollebergh, W. (2006). Economic and cultural correlates of cannabis use among mid-adolescents in 31 countries. *Addiction*, **101**, 241-251.

28. Shewan, D., Dalgarno, P., & Reith, G. (2000). Perceived risk and risk reduction among ecstasy users: the role of drug, set, and setting. *International Journal of Drug Policy*, **10**, 431-453.
29. Parrott, A. C., Rodgers, J., Buchanan, T., Ling, J., Heffernan, T., & Scholey, A. B. (2006). Dancing hot on Ecstasy: physical activity and thermal comfort ratings are associated with the memory and other psychobiological problems reported by recreational MDMA users. *Human Psychopharmacology: Clinical and Experimental*, **21**, 285-298.
30. Ajzen, I. (1991). The theory of planned behavior. *Organizational Behavior and Human Decision Processes*, **50**, 179-211.
31. Fishbein, M., & Ajzen, I. (1975). *Belief, attitude, intention and behavior: An introduction to theory and research*. Reading, MA: Addison-Wesley.
32. Fishbein, M., Triandis, H. C., Kanfer, F. H., Becker, M. H., Middlestadt, S. E., & Eichler, A. (2001). Factors influencing behavior and behavior change. In A. Baum, T. R. Revenson & J. E. Singer (Eds.), *Handbook of Health Psychology* (pp. 3-17). Hillsdale, NJ: Lawrence Erlbaum Associates.
33. Godin, G., & Kok, G. (1996). The theory of planned behavior: A review of its applications to health-related behaviors. *American Journal of Health Promotion*, **11**, 87-98.
34. Bandura, A. (1986). *Social foundations of thought and action: A social cognitive theory*. Upper Saddle River, NJ, US: Prentice-Hall, Inc.
35. Peters, G.-J. Y., Kok, G. J., & Abraham, C. (2008). Social cognitive determinants of ecstasy use to target in evidence-based interventions: a meta-analytic review. *Addiction*, **103**, 109-118.
36. Thomasius, R., Zapletalova, P., Petersen, K., Buchert, R., Andresen, B., Wartberg, L., Nebeling, B., & Schmoldt, A. (2006). Mood, cognition and serotonin transporter availability in current and former ecstasy (MDMA) users: The longitudinal perspective. *Journal of Psychopharmacology*, **20**, 211-225.
37. Zakhari, K. K., & Campbell, Z. (2006). Memory impairment in now abstinent MDMA users and continued users: a longitudinal follow-up. *Neurology*, **66**, 740-741.
38. McCambridge, J., Mitcheson, L., Winstock, A., & Hunt, N. (2005). Five-year trends in patterns of drug use among people who use stimulants in dance contexts in the United Kingdom. *Addiction*, **100**, 1140-1149.
39. Parsons, J. T., Kelly, B. C., & Wells, B. E. (2006). Differences in club drug use between heterosexual and lesbian/bisexual females. *Addictive Behaviors*, **31**, 2344-2349.
40. Albarracin, D., Gillette, J. C., Earl, A. N., Glasman, L. R., Durantini, M. R., & Ho, M. H. (2005). A test of major assumptions about behavior change: a comprehensive look at the effects of passive and active HIV-prevention interventions since the beginning of the epidemic. *Psychological Bulletin*, **131**, 856-897.
41. Webb, T. L., & Sheeran, P. (2006). Does changing behavioral intentions engender behavior change? A meta-analysis of the experimental evidence. *Psychological Bulletin*, **132**, 249-268.
42. Climko, R. P., Roehrich, H., Sweeney, D. R., & Al Razi, J. (1986). Ecstasy: a review of MDMA and MDA. *International Journal of Psychiatry in Medicine*, **16**, 359-372.

43. Greer, G., & Strassman, R. J. (1985). Information on "Ecstasy". *American Journal of Psychiatry*, **142**, 1391.
44. Marcos, A. C., & Johnson, R. E. (1988). Cultural patterns and causal processes in adolescent drug use: The case of Greeks versus Americans. *International Journal of the Addictions*, **23**, 545-572.
45. Deng, F., Vaughn, M. S., & Lee, L. J. (2001). Drug offenders in Taiwan and the United States: A cross-cultural analysis. *Substance Use and Misuse*, **36**, 1677-1697.
46. Armitage, C. J., & Conner, M. (2001). Efficacy of the theory of planned behaviour: A meta-analytic review. *British Journal of Social Psychology*, **40**, 471-499.
47. Wu, Y., Stanton, B. F., Galbraith, J., Kaljee, L., Cottrell, L., Li, X., Harris, C. V., D'Alessandri, D., & Burns, J. M. (2003). Sustaining and broadening intervention impact: a longitudinal randomized trial of 3 adolescent risk reduction approaches. *Pediatrics*, **111**, e32-e38.
48. Carlson, R. G., Falck, R. S., McCaughan, J. A., & Siegal, H. A. (2004). MDMA/Ecstasy use among young people in Ohio: perceived risk and barriers to intervention. *Journal of Psychoactive Drugs*, **36**, 181-189.
49. Sherlock, K., & Conner, M. (1999). Patterns of ecstasy use amongst club goers on the UK 'dance scene'. *International Journal of Drug Policy*, **10**, 117-129.
50. Corapcioglu, A., & Ogel, K. (2004). Factors associated with ecstasy use in Turkish students. *Addiction*, **99**, 67-76.
51. Sim, T., Jordan Green, L., Lee, J., Wolfman, J., & Jahangiri, A. (2005). Psychosocial correlates of recreational ecstasy use among college students. *Journal of American College Health*, **54**, 25.
52. Wu, Z. H., Holzer, C. E., 3rd, Breitkopf, C. R., Grady, J. J., & Berenson, A. B. (2006). Patterns and perceptions of ecstasy use among young, low-income women. *Addictive Behaviors*, **31**, 676-685.
53. Yu, R. L., & Ko, H. C. (2006). Cognitive determinants of MDMA use among college students in Southern Taiwan. *Addictive Behaviors*, **31**, 2199-2211.
54. Boys, A., & Marsden, J. (2003). Perceived functions predict intensity of use and problems in young polysubstance users. *Addiction*, **98**, 951-963.
55. Boys, A., Marsden, J., Griffiths, P., Fountain, J., Stillwell, G., & Strang, J. (1999). Substance use among young people: The relationship between perceived functions and intentions. *Addiction*, **94**, 1043-1050.
56. Conner, M., Sherlock, K., & Orbell, S. (1998). Psychosocial determinants of ecstasy use in young people in the UK. *British Journal of Health Psychology*, **3**, 295-317.
57. Engels, R. C. M. E., & Ter Bogt, T. (2004). Outcome Expectancies and Ecstasy Use in Visitors of Rave Parties in the Netherlands. *European Addiction Research*, **10**, 156-162.
58. McMillan, B., & Conner, M. (2003). Applying an extended version of the theory of planned behavior to illicit drug use among students. *Journal of Applied Social Psychology*, **33**, 1662-1683.
59. McMillan, B., Sherlock, K., & Conner, M. (2003). Expanding the traditional user versus non-user dichotomy amongst ecstasy users. *Journal of Community and Applied Social Psychology*, **13**, 15-28.
60. Orbell, S., Blair, C., Sherlock, K., & Conner, M. (2001). The theory of planned behavior and ecstasy use: roles for habit and perceived control over taking versus obtaining substances. *Journal of Applied Social Psychology*, **31**, 31-47.

61. Umeh, K., & Patel, R. (2004). Theory of planned behaviour and ecstasy use: an analysis of moderator-interactions. *British Journal of Health Psychology*, **9**, 25-38.
62. Yacoubian, G. S., Boyle, C., Harding, C. A., & Loftus, E. A. (2003). It's a rave new world: Estimating the prevalence and perceived harm of ecstasy and other drug use among club rave attendees. *Journal of Drug Education*, **33**, 187-196.
63. Petraitis, J., Flay, B. R., & Miller, T. Q. (1995). Reviewing theories of adolescent substance use: organizing pieces in the puzzle. *Psychological Bulletin*, **117**, 67-86.
64. Conner, M., & Sparks, P. (1996). The theory of planned behaviour and health behaviours. In M. Conner & P. Norman (Eds.), *Predicting health behaviour: Research and practice with social cognition models* (pp. 121-162). Buckingham, England: Open University Press.
65. De Vries, H., Backbier, E., Kok, G., & Dijkstra, M. (1995). The impact of social influences in the context of attitude, self-efficacy, intention, and previous behavior as predictors of smoking onset. *Journal of Applied Social Psychology*, **25**, 237-257.
66. Abraham, C., Sheeran, P., & Johnston, M. (1998). From health beliefs to self-regulation: Theoretical advances in the psychology of action control. *Psychology and Health*, **13**, 569-591.
67. Abraham, C., & Sheeran, P. (2003). Implications of goal theories for the theories of reasoned action and planned behaviour. *Current Psychology*, **22**, 264-280.
68. Manstead, A. S. R., & Parker, D. (1995). Evaluating and extending the Theory of Planned Behaviour. In W. Stroebe & M. Hewstone (Eds.), *European Review of Social Psychology* (Vol. 6, pp. 69-95). Chichester, England: Wiley.
69. Feather, N. T. (Ed.). (1982). *Expectations and actions: Expectancy-value models in psychology*. Hillsdale, NJ: Erlbaum.
70. Cohen, J. (1988). *Statistical power analysis for the behavioral sciences* (2nd ed.). Hillsdale, NJ: Lawrence Erlbaum Associates.
71. Ruiter, R. A. C., Abraham, C., & Kok, G. (2001). Scary warnings and rational precautions: A review of the psychology of fear appeals. *Psychology and Health*, **16**, 613-630.
72. Witte, K. (1995). Fishing for success: Using the persuasive health message framework to generate effective campaign messages. In E. Maibach & R. L. Parrott (Eds.), *Designing health messages: Approaches from communication theory and public health practice* (pp. 145-166). Thousand Oaks, CA, US: Sage Publications, Inc.
73. Boys, A., Marsden, J., Fountain, J., Griffiths, P., Stillwell, G., & Strang, J. (1999). What influences young people's use of drugs? A qualitative study of decision-making. *Drugs: Education, Prevention and Policy*, **6**, 373-387.
74. ter Bogt, T. F. M., Engels, R. C. M. E., & Dubas, J. S. (2006). Party people: Personality and MDMA use of house party visitors. *Addictive Behaviors*, **31**, 1240-1244.
75. Cialdini, R. B. (2003). Crafting normative messages to protect the environment. *Current Directions in Psychological Science*, **12**, 105-109.
76. Fishbein, M., & Cappella, J. N. (2006). The role of theory in developing effective health communications. *Journal of Communication*, **56**, S1-S17.
77. Verplanken, B., & Wood, W. (2006). Interventions to break and create consumer habits. *Journal of Public Policy and Marketing*, **25**, 90-103.

78. Schoenmakers, T., Wiers, R. W., Jones, B. T., Bruce, G., & Jansen, A. T. M. (2007). Attentional re-training decreases attentional bias in heavy drinkers without generalization. *Addiction*, **102**, 399-405.
79. Orbell, S., & Hagger, M. (2006). Temporal framing and the decision to take part in type 2 diabetes screening: Effects of individual differences in consideration of future consequences on persuasion. *Health Psychology*, **25**, 537-548.
80. Allott, K., & Redman, J. (2006). Patterns of use and harm reduction practices of ecstasy users in Australia. *Drug and Alcohol Dependence*, **82**, 168-176.
81. Robson, P., & Bruce, M. (1997). A comparison of 'visible' and 'invisible' users of amphetamine, cocaine and heroin: two distinct populations? *Addiction*, **92**, 1729-1736.
82. Boys, A., Marsden, J., & Strang, J. (2001). Understanding reasons for drug use amongst young people: A functional perspective. *Health Education Research*, **16**, 457-469.
83. Marsden, J., Stillwell, G., Barlow, H., Boys, A., Taylor, C., Hunt, N., & Farrell, M. (2006). An evaluation of a brief motivational intervention among young ecstasy and cocaine users: No effect on substance and alcohol use outcomes. *Addiction*, **101**, 1014-1026.
84. Eves, F., Hoppe, R., & McLaren, L. (2003). Prediction of specific types of physical activity using the theory of planned behavior. *Journal of Applied Biobehavioral Research*, **8**, 77-95.
85. ResearchSoft, T. (2005). Endnote 9.01.
86. Engels, R. C., & ter Bogt, T. (2004). Outcome expectancies and ecstasy use in visitors of rave parties in The Netherlands. *European addiction research*, **10**, 156-162.
87. Allott, K., & Redman, J. (2006). Patterns of use and harm reduction practices of ecstasy users in Australia. *Drug and Alcohol Dependence*, **82**, 168-176.
88. Bellis, M. A., Hughes, K., Calafat, A., Juan, M., Ramon, A., Rodriguez, J. A., Mendes, F., Schnitzer, S., & Phillips-Howard, P. (2008). Sexual uses of alcohol and drugs and the associated health risks: a cross sectional study of young people in nine European cities. *BMC public health ISE: 1471 2458*, **8**, 155.
89. Carlson, R. G., Falck, R. S., McCaughan, J. A., & Siegal, H. A. (2004). MDMA/Ecstasy Use Among Young People in Ohio: Perceived Risk and Barriers to Intervention. *Journal of Psychoactive Drugs*, **36**, 181-189.
90. Copeland, J., Dillon, P., & Gascoigne, M. (2006). Ecstasy and the concomitant use of pharmaceuticals. *Addictive behaviors*, **31**, 367-370.
91. Dundes, L. (2003). DanceSafe and ecstasy: protection or promotion? *Journal of health and social policy*, **17**, 19-37.
92. Fendrich, M., Wislar, J. S., Johnson, T. P., & Hubbell, A. (2003). A contextual profile of club drug use among adults in Chicago. *Addiction*, **98**, 1693-1703.
93. Fountain, J., Bartlett, H., Griffiths, P., Gossop, M., Boys, A., & Strang, J. (1999). Why say no? Reasons given by young people for not using drugs. *Addiction Research*, **7**, 339-353.
94. Gamma, A., Jerome, L., Liechti, M. E., & Sumnall, H. R. (2005). Is ecstasy perceived to be safe? A critical survey. *Drug and alcohol dependence*, **77**, 185-193.
95. Gourley, M. (2004). A subcultural study of recreational ecstasy use. *Journal of Sociology*, **40**, 59-73.

96. Hansen, D., Maycock, B., & Lower, T. (2001). 'Weddings, parties, and anything. *International Journal of Drug Policy*, **12**, 181-199.
97. Levy, K. B., O'Grady, K. E., Wish, E. D., & Arria, A. M. (2005). An in-depth qualitative examination of the ecstasy experience: results of a focus group with ecstasy-using college students. *Substance use and misuse*, **40**, 1427-1441.
98. Riley, S. C. E., & Hayward, E. (2004). Patterns, trends, and meanings of drug use by dance-drug users in Edinburgh, Scotland. *Drugs: Education, Prevention and Policy*, **11**, 243-262.
99. Rodgers, J., Buchanan, T., Pearson, C., Parrott, A. C., Ling, J., Heffernan, T., & Scholey, A. B. (2006). Differential experiences of the psychobiological sequelae of ecstasy use: Quantitative and qualitative data from an internet study. *Journal of Psychopharmacology*, **20**, 437-446.
100. Soellner, R. (2005). Club drug use in Germany. *Substance use and misuse*, **40**, 1279-1293.
101. Solowij, N., Hall, W., & Lee, N. (1992). Recreational MDMA use in Sydney: a profile of 'Ecstasy' users and their experiences with the drug. *British journal of addiction*, **87**, 1161-1172.
102. Sterk, C. E., Theall, K. P., & Elifson, K. W. (2007). Getting into ecstasy: comparing moderate and heavy young adult users. *Journal of psychoactive drugs*, **39**, 103-113.
103. Sumnall, H. R., Cole, J. C., & Jerome, L. (2006). The varieties of ecstatic experience: an exploration of the subjective experiences of ecstasy. *Journal of psychopharmacology Oxford, England*, **20**, 670-682.
104. Topp, L., Hando, J., Dillon, P., Roche, A., & Solowij, N. (1999). Ecstasy use in Australia: patterns of use and associated harm. *Drug and alcohol dependence*, **55**, 105-115.
105. Verheyden, S. L., Henry, J. A., & Curran, H. V. (2003). Acute, sub-acute and long-term subjective consequences of 'ecstasy' (MDMA) consumption in 430 regular users. *Human psychopharmacology*, **18**, 507-517.
106. Verheyden, S. L., Maidment, R., & Curran, H. V. (2003). Quitting ecstasy: an investigation of why people stop taking the drug and their subsequent mental health. *Journal of psychopharmacology Oxford, England*, **17**, 371-378.
107. Winstock, A. R., Griffiths, P., & Stewart, D. (2001). Drugs and the dance music scene: A survey of current drug use patterns among a sample of dance music enthusiasts in the UK. *Drug and Alcohol Dependence*, **64**, 9-17.
108. <http://ecstasyresearch.eu/qualitativeresearch>.
109. Cohen, J. (1992). A power primer. *Psychological Bulletin*, **112**, 155-159.
110. Vervaeke, H. K. E., Benschop, A., & Korf, D. J. (2008). Fear, rationality and opportunity: Reasons and motives for not trying ecstasy. *Drugs: Education, Prevention and Policy*, **15**, 350 - 364.
111. Rosenberg, H., Baylen, C., Murray, S., Phillips, K., Tisak, M. S., Versland, A., & Pristas, E. (2008). Attributions for abstinence from illicit drugs by university students. *Drugs: Education, Prevention and Policy*, **15**, 365 - 377.
112. van de Wijngaart, G. F., Braam, R., de Bruin, D., Fris, M., Maalste, N. J. M., & Verbraeck, H. T. (1999). Ecstasy use at large-scale dance events in the Netherlands. *Journal of Drug Issues*, **29**, 679-702.

113. Sterk, C. E., Theall, K. P., & Elifson, K. W. (2006). Young adult ecstasy use patterns: Quantities and combinations. *Journal of Drug Issues*, **36**, 201-228.
114. Peters, G.-J. Y., & Kok, G. (Submitted). A structured review of reasons for ecstasy use and related behaviours: pointers for future research. *BMC Public Health*.
115. Hansen, D., Maycock, B., & Lower, T. (2001). 'Weddings, parties, and anything...', a qualitative analysis of ecstasy use in Perth, Western Australia. *International Journal of Drug Policy*, **12**, 181-199.
116. Topp, L., Hando, J., Dillon, P., Roche, A., & Solowij, N. (1999). Ecstasy use in Australia: Patterns of use and associated harm. *Drug and Alcohol Dependence*, **55**, 105-115.
117. Solowij, N., Hall, W., & Lee, N. (1992). Recreational MDMA use in Sydney: A profile of "ecstasy" users and their experiences with the drug. *British Journal of Addiction*, **87**, 1161-1172.
118. Verheyden, S. L., Maidment, R., & Curran, H. V. (2003). Quitting ecstasy: An investigation of why people stop taking the drug and their subsequent mental health. *Journal of Psychopharmacology*, **17**, 371-378.
119. Gamma, A., Jerome, L., Liechti, M. E., & Sumnall, H. R. (2005). Is ecstasy perceived to be safe? A critical survey. *Drug and Alcohol Dependence*, **77**, 185-193.
120. Spruit, I. P. (1999). Ecstasy use and policy responses in the Netherlands. *Journal of Drug Issues*, **29**, 653-678.
121. Uitertmark, J. (2004). The origins and future of the Dutch approach towards drugs. *Journal of Drug Issues*, **34**, 511-532.
122. Duncan, D. F., & Nicholson, T. (1997). Dutch drug policy: A model for America? *Journal of Health and Social Policy*, **8**, 1-15.
123. Uitertmark, J., & Cohen, P. (2005). A clash of policy approaches: The rise (and fall?) of Dutch harm reduction policies towards ecstasy consumption. *International Journal of Drug Policy*, **16**, 65-72.
124. Griffiths, P., Mravcik, V., Lopez, D., & Klempova, D. (2008). Quite a lot of smoke but very limited fire--the use of methamphetamine in Europe. *Drug and alcohol review ISE: 1465 3362*, **27**, 236-242.
125. Topp, L., Degenhardt, L., Kaye, S., & Darke, S. (2002). The emergence of potent forms of methamphetamine in Sydney, Australia: A case study of the IDRS as a strategic early warning system. *Drug and Alcohol Review*, **21**, 341-348.
126. Rawson, R. A., Anglin, M. D., & Ling, W. (2002). Will the methamphetamine problem go away? *Journal of Addictive Diseases*, **21**, 5-19.
127. Trimbos Instituut. (2007). DIMS jaarbericht 2006 [DIMS year report 2006]. Utrecht: Trimbos Instituut.
128. Nabben, T., Benschop, A., & Korf, D. J. (2007). *Antenne 2006: trends in alcohol, tabak en drugs bij jonge Amsterdammers* [Antenna 2006: Alcohol, tobacco and drug trends among Amsterdam adolescents and young adults]. Amsterdam: Rozenberg Publishers.
129. Sumnall, H. R., Tyler, E., Wagstaff, G. F., & Cole, J. C. (2004). A behavioural economic analysis of alcohol, amphetamine, cocaine and ecstasy purchases by polysubstance misusers. *Drug and Alcohol Dependence*, **76**, 93-99.
130. Topp, L., Barker, B., & Degenhardt, L. (2004). The external validity of results derived from ecstasy users recruited using purposive sampling strategies. *Drug and Alcohol Dependence*, **73**, 33-40.

131. Wang, J., Carlson, R. G., Falck, R. S., Siegal, H. A., Rahman, A., & Li, L. (2005). Respondent-driven sampling to recruit MDMA users: a methodological assessment. *Drug and Alcohol Dependence*, **78**, 147-157.
132. NVivo. (2001). Melbourne, Australia: QSR International Pty Ltd.
133. Parrott, A. C. (2004). Is ecstasy MDMA? A review of the proportion of ecstasy tablets containing MDMA, their dosage levels, and the changing perceptions of purity. *Psychopharmacology* **173**, 234-241.
134. Albaracín, D., Durantini, M. R., & Earl, A. (2006). Empirical and theoretical conclusions of an analysis of outcomes of HIV-prevention interventions. *Current Directions in Psychological Science*, **15**, 73-78.
135. Bedi, G., & Redman, J. (2006). Letters to the Editor: Recreational Ecstasy Use: Acute Effects Potentiated by Ambient Conditions? *Neuropsychobiology*, **53**, 113.
136. Bedi, G., & Redman, J. (2006). Recreational ecstasy use: acute effects potentiated by ambient conditions? *Neuropsychobiology*, **53**, 113.
137. Panagopoulos, I., & Ricciardelli, L. A. (2005). Harm reduction and decision making among recreational ecstasy users. *International Journal of Drug Policy*, **16**, 54-64.
138. Vervaeke, H. K., van Deurzen, L., & Korf, D. J. (2008). The role of peers in the initiation and continuation of ecstasy use. *Substance Use and Misuse*, **43**, 633-646.
139. Vervaeke, H. K. E., Korf, D. J., Benschop, A., & van den Brink, W. (2007). How to find future ecstasy-users: Targeted and snowball sampling in an ethically sensitive context. *Addictive Behaviors*, **32**, 1705-1713.
140. von Sydow, K., Lieb, R., Pfister, H., Hofler, M., & Wittchen, H. U. (2002). Use, abuse and dependence of ecstasy and related drugs in adolescents and young adults--a transient phenomenon? Results from a longitudinal community study. *Drug and Alcohol Dependence*, **66**, 147-159.
141. Kelly, B. C. (2007). Club drug use and risk management among "Bridge and Tunnel" youth. *Journal of Drug Issues*, **37**, 425-444.
142. Rivilis, A., & Sheeran, P. (2003). Descriptive norms as an additional predictor in the theory of planned behaviour: A meta-analysis. *Current Psychology*, **22**, 218-233.
143. van Empelen, P., Kok, G., Jansen, M. W. J., & Hoebe, C. J. P. A. (2001). The additional value of anticipated regret and psychopathology in explaining intended condom use among drug users. *AIDS Care*, **13**, 309-318.
144. Abraham, C., & Sheeran, P. (2003). Acting on Intentions: the role of anticipated regret. *British Journal of Social Psychology*, **42**, 495-511.
145. McMillan, B., & Conner, M. (2003). Using the theory of planned behaviour to understand alcohol and tobacco use in students. *Psychology, Health and Medicine*, **8**, 317-328.
146. French, D. P., & Hankins, M. (2003). The expectancy-value muddle in the theory of planned behaviour--and some proposed solutions. *British Journal of Health Psychology*, **8**, 37-55.
147. Peters, G.-J. Y., Kok, G. J., & Schaalma, H. P. (In press). Careers in ecstasy use: do ecstasy users cease of their own accord? Implications for intervention development. *BMC Public Health*.
148. Boys, A., Lenton, S., & Norcross, K. (1997). Polydrug use at raves by a Western Australian sample. *Drug and Alcohol Review*, **16**, 227-234.

149. Duncan, D. F., White, J. B., & Nicholson, T. (2003). Using Internet-based surveys to reach hidden populations: Case of nonabusive illicit drug users. *American Journal of Health Behavior*, **27**, 208-218.
150. Macromedia. (2005). Macromedia Flash. San Francisco, CA.
151. Reimers, S., & Stewart, N. (2007). Adobe flash as a medium for online experimentation: A test of reaction time measurement capabilities. *Behavior Research Methods*, **39**, 365-370.
152. Goritz, A. S., & Birnbaum, M. H. (2005). Generic HTML Form Processor: A versatile PHP script to save Web-collected data into a MySQL database. *Behavior Research Methods*, **37**, 703-710.
153. Cohen, J. (1990). Things I Have Learned (So Far). *American Psychologist*, **45**, 1304-1312.
154. Kirk, R. E. (2007). Effect magnitude: a different focus. *Journal of Statistical Planning and Inference*, **137**, 1634-1646.
155. Rosenthal, J. A. (1996). Qualitative descriptors of strength of association and effect size. *Journal of Social Service Research*, **21**.
156. Ruxton, G. D. (2006). The unequal variance t-test is an underused alternative to Student's t-test and the Mann-Whitney U test. *Behavioral Ecology*, **17**, 688-690.
157. Welp, E. A. E., Bosman, I., Langeman, M. W., Totte, M., Maes, R. A. A., & van Ameijden, E. J. C. (2003). Amount of self-reported illicit drug use compared to quantitative hair test results in community-recruited young drug users in Amsterdam. *Addiction*, **98**, 987-994.
158. Peters, G.-J. Y., Kok, G. J., & Abraham, C. S. (in preparation). Social cognitive determinants of trying out ecstasy: why interventions based on research into using ecstasy may have a hard time preventing ecstasy use.
159. Peters, G.-J. Y., Kok, G. J., & Abraham, C. S. (in preparation). Social cognitive determinants of ceasing ecstasy use: ceasing is not the opposite of using.
160. Peters, G.-J. Y., Kok, G. J., & Abraham, C. S. (in preparation). Social cognitive determinants of ecstasy use: Does studying mixed samples of non-users and users leads to over-estimation of association strengths?
161. Johnston, J., Barratt, M. J., Fry, C. L., Kinner, S., Stoove, M., Degenhardt, L., George, J., Jenkinson, R., Dunne, M., & Bruno, R. (2006). A survey of regular ecstasy users' knowledge and practices around determining pill content and purity: Implications for policy and practice. *International Journal of Drug Policy*, **17**, 464-472.
162. Benschop, A., Rabes, M., & Korf, D. J. (2002). *Pill testing, ecstasy and prevention*. Amsterdam: Rozenberg Publishers.
163. Giraudon, I., & Bello, P.-Y. (2007). Monitoring ecstasy content in France: Results from the national surveillance system 1999-2004. *Substance Use and Misuse*, **42**, 1567-1578.
164. Conner, M., & Armitage, C. J. (1998). Extending the theory of planned behavior: A review and avenues for further research. *Journal of Applied Social Psychology*, **28**, 1429-1464.
165. Conner, M., & Abraham, C. (2001). Conscientiousness and the theory of planned behavior: Toward a more complete model of the antecedents of intentitious behavior. *Personality and Social Psychology Bulletin*, **27**, 1547-1561.

166. Benet-Martinez, V., & John, O. P. (1998). Los cinco grandes across cultures and ethnic groups: Multitrait multimethod analyses of the Big Five in Spanish and English. *Journal of Personality and Social Psychology*, **75**, 729-750.
167. Gosling, S. D., Rentfrow, P. J., & Swann, W. B., Jr. (2003). A very brief measure of the Big-Five personality domains. *Journal of Research in Personality*, **37**, 504-528.
168. Hoyle, R. H., Stephenson, M. T., Palmgreen, P., Pugzles Lorch, E., & Donohew, R. L. (2002). Reliability and validity of a brief measure of sensation seeking. *Personality and Individual Differences*, **32**, 401-414.
169. Patton, J. H., Stanford, M. S., & Barratt, E. S. (1995). Factor structure of the Barratt Impulsiveness Scale. *Journal of Clinical Psychology*, **51**, 768-774.
170. Wood, W., & Neal, D. T. (2007). A new look at habits and the habit-goal interface. *Psychological Review*, **114**, 843-863.